

## **IN THE CLAIMS**

Please amend the claims as follows:

1. (Currently Amended) A low mount seat guide loop for holding a seatbelt restraint of a vehicle seat, said low mount seat guide loop comprising:

a strap adapted for attachment to said seat such that the seatbelt restraint can be disposed between said strap and the vehicle seat; and

a pocket into which said strap can be tucked, wherein said strap is adapted to be disposed in an extended position, in which said strap extends over the seatbelt restraint to hold the seatbelt restraint, and a retracted position, in which the seatbelt restraint can be removed from between said strap and the vehicle seat and said strap can be tucked into said pocket.

2. (Previously Amended) The low mount seat guide loop as set forth in claim 1, further comprising at least one snap for attaching said strap to the vehicle seat.

3. (Original) The low mount seat guide loop as in claim 2, wherein said snap further comprises a magnet.

4. (Cancelled)

5. (Currently Amended) The low mount seat guide loop as in claim [[4]] 1, further comprising at least one snap, and wherein said strap is adapted to be attached to the vehicle seat via said snap when said strap is in the retracted position and in the extended position.

6. (Previously New) The low mount seat guide loop as set forth in claim 1, wherein said strap includes an elastic portion.

7. (Cancelled)

8. (Currently Amended) A vehicle seat assembly comprising:  
a seatbelt restraint;  
a cushion; [[and]]  
a strap adapted to be connected to said cushion and adapted to hold said seatbelt restraint by disposing said seatbelt restraint between said cushion and said strap; and  
a pocket into which said strap can be tucked, wherein said strap is adapted to be positioned in an extended position, in which said strap extends over said seatbelt restraint to hold said seatbelt restraint, and a retracted position, in which said seatbelt restraint can be removed from between said cushion and said strap and said strap can be tucked into said pocket.

9. (Previously New) The vehicle seat assembly as set forth in claim 8 further comprising at least one snap for fixing said strap relative to said cushion.

10. (Previously New) The vehicle seat assembly as set forth in claim 9, wherein said snap further comprises a magnet.

11. (Cancelled)

12. (Currently Amended) The vehicle seat assembly as set forth in claim ~~[[11]]~~ 1, further comprising at least one snap, and wherein said strap is adapted to be fixed relative to said cushion via said snap when said strap is in the retracted position and in the extended position.

13. (Previously New) The vehicle seat assembly as set forth in claim 8, wherein said strap includes an elastic portion.

14. (Cancelled)